

FULLCHANCE SILICONE(SHENZHEN)CO.,LTD
BUILDING H,XINWEI 3RD INDUSTRIAL ZONE,DALANG STREET, LONGHUA TOWN,BAO'AN DISTRICT SHENZHEN CHINA

The following sample(s) was/were submitted and identified on behalf of the clients as : FUMED SILICONE RUBBER

SGS Job No. : SP12-014293 - SH
Model No. : NE-9570
Client Ref. Information : NE-9130,NE-9140,NE-9150,NE-9160,NE-9170,NE-9180,NE-9230,NE-9240,NE-9250,NE-9260,NE-9270,NE-9280,NE-9330,NE-9340,NE-9350,NE-9360,NE-9370,NE-9380,NE-9430,NE-9440,NE-9450,NE-9460,NE-9470,NE-9480
NE-9530,NE-9540,NE-9550,NE-9560,NE-9580,NE-9650,NE-9660,NE-9670,NE-9680,NE-9730,NE-9740,NE-9750,NE-9760,NE-9770,NE-9780
Manufacturer : FULLCHANCE SILICONE(SHENZHEN)CO.,LTD
Country of Origin : CHINA
Date of Sample Received : 18 May 2012
Testing Period : 18 May 2012 - 29 May 2012
Test Requested : Selected test(s) as requested by client.
Test Method : Please refer to next page(s).
Test Results : Please refer to next page(s).
Conclusion : When tested as specified, the tested parameters comply with the permissible safety limit as specified in LFGB, Section 30 , 31 and Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004.

Signed for and on behalf of
SGS-CSTC Ltd.



Fan Jingjie, JJ
Approved Signatory

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Test Report

No. SHAEC1207859103

Date: 01 Jun 2012

Page 2 of 5

Test Results :

Test Part Description :

Specimen No.	SGS Sample ID	Description
1	SHA12-078591.002	White SILICONE RUBBER

Extractable component

Test Requested : In accordance with German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 and 31, BfR recommendation and Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004.
For material: silicon rubber - Extractable component

Test Method : With reference to 61st Communication on testing of plastics in Bundesgesundheitsbl 46 (2003) 362.

<u>Simulant Used</u>	<u>Time</u>	<u>Temperature</u>	<u>Max. Permissible Limit</u>	<u>Result of 002 Extactives</u>
Distilled water	5.0hr	reflux temperature	0.5% (w/w)	<0.1% (w/w)
3% Acetic Acid	5.0hr	reflux temperature	0.5% (w/w)	<0.1% (w/w)
10% Ethanol	5.0hr	reflux temperature	0.5% (w/w)	<0.1% (w/w)

Notes :

%w/w =percentage of weight by weight

Peroxide value

Test Requested : In accordance with German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 and 31, BfR recommendation and Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004.
For material: silicon rubber -Peroxide value

Test Method : With reference to European pharmacopoeia, 2005 Appendix X F. Peroxide Value method A

<u>Test Item(s)</u>	<u>Limit</u>	<u>002</u>
Peroxide Value	Absent	Absent

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its preparation only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Test Report

No. SHAEC1207859103

Date: 01 Jun 2012

Page 3 of 5

Sensorial examination odour and taste test

Test Requested : In accordance with German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 and 31, BfR recommendation and Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004.

Sensorial examination odour and taste test

Test Method : Sensory test with reference to DIN 10955:1983 (2004).

Test media: Distilled water;

No. of panelist: 6

<u>Test Item(s)</u>	<u>Limit</u>	<u>002</u>
Test time for odour(hr)	-	24
Temperature for odour(°C)	-	23
Time for taste(hr)	-	4
Temperature for taste(°C)	-	100
Sensorial examination odour (Point scale)	2.5	0
Sensorial examination taste (Point scale)	2.5	0

Notes :

Scale evaluation:

0: No perceptible odour

1: Odour just perceptible (still difficult to define)

2: Moderate odour

3: Moderately strong odour

4: Strong odour

Lead(Pb) and Cadmium(Cd)

Test Requested : In accordance with German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 and 31, BfR recommendation and Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004.

For material: silicon rubber - Lead(Pb) and Cadmium (Cd)

Test Method : Total Lead and Cadmium: Acidic digestion, analysis was performed by ICP-OES.

<u>Test Item(s)</u>	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>002</u>
Total Lead	Absent	mg/kg	2	ND
Total Cadmium	Absent	mg/kg	2	ND

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Test Report

No. SHAEC1207859103

Date: 01 Jun 2012

Page 4 of 5

Notes :

- (1) mg/kg = milligram per kilogram
- (2) MDL = Method Detection Limit
- (3) ND = Not Detected (< MDL)

Volatile organic matter

Test Requested : In accordance with German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 and 31, BfR recommendation and Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004.
For material: silicon rubber - Volatile organic matter (VOM)

Test Method : With reference to 60. Mitteilung über die Untersuchung von Kunststoffen, Bundesgesundheitsbl 45 (2002) 462 and LFGB § 64 BVL B 80.30.1(EG).
Test condition : 130°C, 4 hours

<u>Test Item(s)</u>	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>002</u>
Volatile organic matter (VOM)	0.55	% (w/w)	0.1	ND

Notes :

%(w/w) =percentage of weight by weight

Organotin content (Monobutyltin, Dibutyltin, Tributyltin, Tetrabutyltin, Triphenyltin, Mono-octyltin, Di-octyltin)

Test Requested : In accordance with German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 and 31, BfR recommendation and Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004.
For material: silicon rubber – Organotin content (Monobutyltin, Dibutyltin, Tributyltin, Tetrabutyltin, Triphenyltin, Mono-octyltin, Di-octyltin)

Test Method : Solvent extraction followed by analysis using GC-MS.

<u>Test Item(s)</u>	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>002</u>
Monobutyl tin (MBT)	Absent	mg/kg	0.02	ND
Dibutyl tin (DBT)	Absent	mg/kg	0.02	ND
Tributyl tin (TBT)	Absent	mg/kg	0.02	ND
Mono-octyl tin (MOT)	Absent	mg/kg	0.02	ND

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Test Report

No. SHAEC1207859103

Date: 01 Jun 2012


Page 5 of 5

<u>Test Item(s)</u>	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>002</u>
Tetrabutyl tin (TTBT)	Absent	mg/kg	0.02	ND
Diocetyl tin (DOT)	Absent	mg/kg	0.02	ND
Triphenyl tin (TPT)	Absent	mg/kg	0.02	ND

Notes :

- (1) mg/kg =milligram per kilogram
- (2) MDL = Method Detection Limit
- (3) ND = Not Detected (< MDL)

Sample photo:



SGS authenticate the photo on original report only

*** End of Report ***

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

